

# PRODUCT DATASHEET HALOPIN OVEN 25 W 230 V G9

HALOPIN® OVEN | Halogen oven lamps



### Areas of application

- Baking ovens

#### **Product benefits**

- Optimum halogen content for high temperatures
- Contains no mercury

#### **Product features**

- Average life: 2,000 h




# TECHNICAL DATA

# Electrical data

| Nominal wattage      | 25 W    |
|----------------------|---------|
| Construction wattage | 25.00 W |
| Nominal voltage      | 230 V   |

# Photometrical data

| Luminous flux             | 260 lm     |
|---------------------------|------------|
| Luminous efficacy         | 10 lm/W    |
| Light color (designation) | Warm White |
| Color temperature         | 2700 K     |
| Color rendering index Ra  | 100        |
| Light color               | 1027       |



349642\_HAL\_NV\_UVS

# Light technical data

# Dimensions & Weight

| Overall length            | 43.00 mm |
|---------------------------|----------|
| Light center length (LCL) | 22,0 mm  |
| Diameter                  | 14.00 mm |
| Product weight            | 2.8 g    |

# Additional product data

| Base (standard designation) | G9   |
|-----------------------------|------|
| Mercury-free                | Yes  |
| Design / version            | Tube |

# Capabilities

| Burning position         | Any             |
|--------------------------|-----------------|
| Certificates & Standards |                 |
| Energy efficiency class  | G               |
| Energy consumption       | 25.00 kWh/1000h |

# Country-specific categorizations

| ILCOS           | HSGST/C/UB-25-230-G9-22 |
|-----------------|-------------------------|
| Order reference | 66725 OVEN              |

# Energy labelling regulation data acc EU 2019/2015

| Lighting technology used                            | OTHER        |
|---|--------------|
| Non-directional or directional                      | NDLS         |
| Mains or non-mains                                  | MLS          |
| Light source cap-type (or other electric interface) | G9           |
| Connected light source (CLS)                        | No           |
| Color-tuneable light source                         | No           |
| Envelope  | No           |
| High luminance light source                         | No           |
| Anti-glare shield                                   | No           |
| Correlated colour temperature type                  | SINGLE_VALUE |
| Claim of equivalent power                           | No           |
| Length  | 43.00 mm     |
| Height  | 14.00 mm     |
| Width   | 14.00 mm     |
| Chromaticity coordinate x                           | 0.460        |
| Chromaticity coordinate y                           | 0.411        |
| Beam angle correspondence                           | SPHERE_360   |
| EPREL ID  | 931184       |
| Model number  | AC35344      |

# DOWNLOAD DATA

|     | Documents and certificates | Document name |  |
|-----|----------------------------|---------------|--|
| PDF | Declarations of conformity | HAL G9        |  |

| Photometric and lighting design files | Document name     |  |
|---------------------------------------|-------------------|--|
| Spectral power distribution           | 349642_HAL_NV_UVS |  |

#### LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume               |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4008321703552 | Folding box                  | 70 mm x 23 mm x 25 mm                | 4.80 g       | 0.04 dm <sup>3</sup> |
| 4008321703569 | Shipping box<br>20           | 144 mm x 55 mm x 118 mm              | 131.00 g     | 0.93 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.